

## STANDARD MODELS

Model	Frequency Range	Output Power $P_N$ min dBm	Gain min / typ dB	Noise Figure dB	Dimensions (L, W, H) mm	Weight kg
BLMA 0118-BT	3 ... 18 GHz <sup>1)</sup>	+8	48 / 51 ±3	3	120 x 100 x 50	1.5
BLMA 0118-M	1 ... 18 GHz	+10	50 / 53 ±3	2.3	120 x 100 x 50	1.5
BLMA 0118-1A	1 ... 18 GHz	+10	30 / 32 ±2	2.5	120 x 100 x 50	1.5
BLMA 0118-1ABT	3 ... 18 GHz <sup>1)</sup>	+9	28 / 30 ±2	3.3	120 x 100 x 50	1.5
BLMA 0118-1BT	3 ... 18 GHz <sup>1)</sup>	+9	36 / 39 ±3	3.2	120 x 100 x 50	1.5
BLMA 0118-1M	1 ... 18 GHz	+10	40 / 42 ±2	2.3	120 x 100 x 50	1.5
BLMA 0118-3A	1 ... 18 GHz	+10	30 / 32 ±2	3	120 x 100 x 50	1.5
BLMA 0118-4A	1 ... 18 GHz	+10	36 / 38 ±2	3	120 x 100 x 50	1.5
BLMA 0118-5A	1 ... 18 GHz	+10	48 / 50 ±2	3	120 x 100 x 50	1.5
BLMA 0118-3G	1 ... 18 GHz	+10	30 / 32 ±2	3.5	120 x 100 x 50	1.5
BLMA 0118-4G	1 ... 18 GHz	+8	40 / 42 ±2	3.5	120 x 100 x 50	1.5
BLMA 0118-5G	1 ... 18 GHz	+8	49 / 51 ±2	3.5	120 x 100 x 50	1.5