

STANDARD MODELS

Model	Frequency Range	Output Power P_N min / typ W	Gain min / typ dB	Harmonics 2nd / 3rd dBc	Line Power VA	Dimensions (H, D) 19"-System	Weight kg
TWAL 0818-20	8 ... 18 GHz	20 / 30	43 / 53 ±10	12 / 20	400	3 HU, 630 mm	21
TWAL 0818-50/35	8 ... 18 GHz 8 ... 15 GHz 15 ... 18 GHz	50 / 60 35 / 50	47 / 55 ±7.5 43 / 51 ±7.5	5 / 20 5 / 20	400	3 HU, 630 mm	20
TWAL 0818-250	8 ... 18 GHz	250 / 300	54 / 62 ±7.5	8 / 20	1500	3 HU, 630 mm	34
TWAL 0818-250E	8 ... 18 GHz	250 / 300	54 / 62 ±7.5	7 / 15	2000	4 HU, 630 mm	32
TWAL 0818-320	8 ... 18 GHz	320 / 350	55 / 63 ±7.5	6 / 18	1600	3 HU, 630 mm	34
TWAL 0818-500	8 ... 18 GHz	500 / 550	57 / 62 ±5	8 / 20	4000	12 HU, 800 mm	115
TWAL 0818-500E	8 ... 18 GHz	500 / 550	57 / 65 ±7.5	7 / 20	3000	8 HU, 630 mm	55
TWAL 0818-1000	8 ... 18 GHz	1000 / 1100	60 / 65 ±5	10 / 20	8000	24 HU, 800 mm	225
TWAL 0818-1000E	8 ... 18 GHz	1000 / 1100	60 / 65 ±5	10 / 20	8000	24 HU, 800 mm	225
TWAL 0818-2000	8 ... 18 GHz	2000 / 2200	63 / 70 ±7.5	10 / 20	16000	41 HU, 800 mm	490

For individual data sheets, please click on the above model name

1 HU = 44.45 mm