

**STANDARD MODELS**

Model	Frequency Range	Output Power $P_N$ min / typ W	Gain min / typ dB	Harmonics 2nd / 3rd dBc	Line Power VA	Dimensions (H, D) 19"-System	Weight kg
TWAL 0208-250	2 ... 8 GHz	250 / 300	54 / 62 $\pm$ 7.5	1 / 5	3000	5 HU, 660 mm	45
TWAL 0208-250E	2.5 ... 8 GHz	250 / 300	54 / 62 $\pm$ 7.5	3 / 10	2500	4 HU, 630 mm	38
TWAL 0208-300	2 ... 8 GHz	300 / 350	54.8 / 63 $\pm$ 7.5	0 / 5	3500	5 HU, 660 mm	45
TWAL 0208-500	2.5 ... 7.5 GHz	500 / 550	57 / 62 $\pm$ 5	5 / 15	3000	4 HU, 630 mm	38
TWAL 0208-500E	2.5 ... 7.5 GHz	500 / 600	57 / 62 $\pm$ 5	5 / 15	3000	4 HU, 630 mm	30
TWAL 0208-1000	2.5 ... 7.5 GHz	1000 / 1100	60 / 65 $\pm$ 5	5 / 20	6000	12 HU, 800 mm	100
TWAL 0208-1000E	2.5 ... 7.5 GHz	1000 / 1100	60 / 65 $\pm$ 5	5 / 20	6000	12 HU, 800 mm	100

For individual data sheets, please click on the above model name

1 HU = 44.45 mm