

STANDARD MODELS

| Model | Frequency Range | Output Power P_N min / typ W | Gain min / typ dB | Harmonics 2nd / 3rd dBc | Line Power VA | Dimensions (H, D) 19"-System | Weight kg |
|------------------|-----------------|--------------------------------------|-------------------------|-------------------------------|------------------|------------------------------------|--------------|
| BLMA 4018-5 | 4 ... 18 GHz | 5 / 6 | 37 / 39 ±2 | 18 / 20 | 200 | 2 HU, 430 mm | 12 |
| BLMA 4018-10 | 4 ... 18 GHz | 10 / 12 | 40 / 44 ±4 | 18 / 18 | 300 | 2 HU, 430 mm | 13 |
| BLMA 4018-20/15D | 4 ... 18 GHz | | | | 380 | 3 HU, 430 mm | 21 |
| | 4 ... 6 GHz | 20 / 25 | 43 / 45 ±2 | 20 / 20 | | | |
| | 6 ... 18 GHz | 15 / 18 | 41.8 / 46 ±4 | 15 / 20 | | | |
| BLMA 4018-20D | 4 ... 18 GHz | | | | 400 | 3 HU, 430 mm | 23 |
| | 4 ... 6 GHz | 20 / 25 | 43 / 45 ±2 | 20 / 20 | | | |
| | 6 ... 18 GHz | 20 / 22 | 43 / 46 ±3 | 15 / 20 | | | |
| BLMA 4018-30D | 4 ... 18 GHz | | | | 700 | 4 HU, 630 mm | 37 |
| | 4 ... 6 GHz | 30 / 35 | 44.8 / 47 ±2 | 20 / 20 | | | |
| | 6 ... 18 GHz | 30 / 35 | 44.8 / 47 ±3 | 15 / 20 | | | |
| BLMA 4018-40/35D | 4 ... 18 GHz | | | | 700 | 4 HU, 630 mm | 37 |
| | 4 ... 6 GHz | 40 / 45 | 46 / 48 ±2 | 20 / 20 | | | |
| | 6 ... 18 GHz | 35 / 40 | 45.4 / 48 ±3 | 15 / 20 | | | |

For individual data sheets, please click on the above model name

1 HU = 44.45 mm