

STANDARD MODELS

Model	Frequency Range	Output Power P _P min / Duty W / %	Pulse Width max. **)	Gain typ dB	Harmonics 2nd / 3rd dBc	Line Power VA	Dimensions (H, D) 19"-System	Weight kg
TWAP 0812-2500	8 ... 12.4 GHz	2500 / 6	50 µs	72 ±7.5	10 / 15	1500	4 HU, 630 mm	35
TWAP 0812-2500L	8 ... 12.4 GHz	2500 / 6	50 µs	72 ±7.5	10 / 15	1500	6 HU, 800 mm	48
TWAP 0812-4000L	8 ... 12.4 GHz	4000 / 6	50 µs	72 ±5	10 / 20	1600	6 HU, 800 mm	48
TWAP 0812-5000	8 ... 12 GHz	5000 / 6 4000 / 6	50 µs 50 µs	72 ±5 71 ±5	10 / 20 20 / 20	1600	4 HU, 630 mm	35
	8 ... 12 GHz							
	12 ... 12.4 GHz							
TWAP 0812-5000L	8 ... 12 GHz	5000 / 6 4000 / 6	50 µs 50 µs	72 ±5 71 ±5	10 / 20 20 / 20	1600	6 HU, 630 mm	48
	8 ... 12 GHz							
	12 ... 12.4 GHz							
TWAP 0812-8000	8 ... 12.4 GHz	8000 / 6	50 µs	77 ±7.5	15 / 20	4000	12 HU, 800 mm	100

For individual data sheets, please click on the above model name

1 HU = 44.45 mm