

STANDARD MODELS

Model	Frequency Range	Output Power P_N min / typ W	Gain min / typ dB	Harmonics 2nd / 3rd dBc	Line Power VA	Dimensions (H, D) 19"-System	Weight kg
TWAL 0118-20DH (Hybrid)	1 ... 18 GHz				500	4 HU, 630 mm	32
	1 ... 6 GHz	20 / 25	43 / 45 ±2	20 / 20			
	6 ... 18 GHz	20 / 25	43 / 48 ±5	5 / 20			
TWAL 0118-30/20DH (Hybrid)	1 ... 18 GHz				500	4 HU, 630 mm	33
	1 ... 6 GHz	30 / 35	44.8 / 47 ±2	20 / 15			
	6 ... 18 GHz	20 / 25	43 / 48 ±5	5 / 20			
TWAL 0118-50DH (Hybrid)	1 ... 18 GHz				500	4 HU, 630 mm	32
	1 ... 6 GHz	50 / 60	47 / 50 ±3	15 / 20			
	6 ... 14 GHz	50 / 60	47 / 52 ±5	5 / 15			
	14 ... 17 GHz	40 / 45	46 / 51 ±5	20 / 20			
	17 ... 18 GHz	35 / 50	45.4 / 51 ±5	20 / 20			
TWAL 0118-100DH (Hybrid)	1 ... 18 GHz				1000	5 HU, 630 mm	54
	1 ... 6 GHz	100 / 120	50 / 53 ±3	15 / 20			
	6 ... 18 GHz	100 / 120	50 / 55 ±5	3 / 12			

For individual data sheets, please click on the above model name

1 HU = 44.45 mm