

STANDARD MODELS

Model	Frequency Range	Power CW min W	VSWR max	Input Connector	Dimensions (L, W, H) mm	Weight kg	Part Number
BCT 0030-50	DC ... 3 GHz	50	1.15:1	N-m	101.6 / 58.3 / 50.8	0.545	10022455



Dimensions without connectors
Technical Drawing(s) on next page

STANDARD SPECIFICATIONS

Impedance: 50 Ohm nominal

GENERAL


Ambient Temperature: 0 ... +45 °C
Storage Temperature: -20 ... +85 °C

OPTIONS

Special frequency ranges and RF connectors upon request

Dieses Dokument ist Eigentum der Firma Bonn Elektronik GmbH. Vervielfältigung und Veröffentlichung ohne ausdrückliche Genehmigung ist untersagt. Änderungen im Sinne des technischen Fortschritts können ohne Vorankündigungen vorgenommen werden. Wenn nichts anders angegeben alle Maße Millimeter.

This document is the property of Bonn Elektronik GmbH. Reproduction and release without express permission is strictly prohibited. We reserve the right to introduce modifications without prior notification, where they serve technical progress. Unless otherwise indicated all dimensions millimeters.



Product Information		Entwurf 20.07.2021 Bonn
10022455		Zeichnung 20.07.2021 Benka
Termination		Prüfung
BCT 0030-50		Freigabe 20.07.2021 Bonn
		Blatt 1-1

Schutzvermerk nach DIN ISO 16016 beachten Observe copyright indication DIN ISO 16016 ISO - Projection